

Slika modela artikla	Kat. Broj	Naziv	Opis	VP Cena (bez pdv-a)
----------------------	-----------	-------	------	---------------------

MILESIGHT



MS103

Milesight MS-C5383-PB mini dome kamera

Model: Milesight MS-C5383-PB
 5MP H.265 PoE IR Mini Dome Network Camera

Image Sensor: 1/2.9" Progressive Scan CMOS; Max. Image Resolution: 2560x1920, ONVIF Profile S;
 Min. Illumination: Color: 0.006Lux @F1.2, B/W: 0Lux with IR on;
 Super WDR up to 120dB; Lens 2,8mm - H92°/D116°/V69° IR Distance 20m;
 Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG;
 Audio Stream: Built-in Microphone (G.711/AAC), SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060;
 Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog
 Garancija 3/5 godina

191,56



MS104

Milesight MS-C2973-PB mini dome kamera

Model: Milesight MS-C2973-PB
 2MP H.265 StarLight PoE IR Mini Dome Network Camera

Image Sensor: 1/2.8" Progressive Scan CMOS; Max. Image Resolution: 1920x1080 - 60fps(1920x1080); ONVIF Profile S
 Min. Illumination: Color: 0.002Lux @F1.2, B/W: 0Lux with IR on;
 Super WDR up to 140dB; Lens 3,6mm - H65°/D82°/V50°; IR Distance 25m;
 Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG;
 Audio Stream: Built-in Microphone (G.711/AAC), SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060;
 Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog
 Vandal-proof IK10-rated metal housing - IP67-rated for weather-resistant performance
 Garancija 3/5 godina
 Opcija:
 * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting)

190,20



MS107

Milesight MS-C2963-PB mini bullet kamera

Model: Milesight MS-C2963-PB
 2MP H.265 StarLight PoE IR Mini Bullet Network Camera

Image Sensor: 1/2.8" Progressive Scan CMOS; Max. Image Resolution: 1920x1080 - 60fps(1920x1080); ONVIF Profile S
 Min. Illumination: Color: 0.002Lux @F1.2, B/W: 0Lux with IR on;
 Super WDR up to 140dB; Lens 4mm - H81°/D93°/V46°; IR Distance 30m;
 Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG;
 Audio Stream: Built-in Microphone (G.711/AAC), SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060;
 Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog
 IP67-rated for weather-resistant performance
 Garancija 3/5 godina
 Opcija:
 * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting)

218,15






MS108




Milesight MS-C5363-PB mini bullet kamera




Model: Milesight MS-C5363-PB
 5MP H.265 PoE IR Mini Bullet Network Camera





Image Sensor: 1/2.9" Progressive Scan CMOS; Max. Image Resolution: 2560x1920; ONVIF Profile S;
 Min. Illumination: Color: 0.006Lux @F1.2, B/W: 0Lux with IR on;
 Super WDR up to 120dB; Lens 4mm - H62°/D77°/V48°; IR Distance 30m;
 Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG;
 Audio Stream: Built-in Microphone (G.711/AAC), SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060;
 Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog
 IP67-rated for weather-resistant performance
 Garancija 3/5 godina
 Opcija:
 * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting)







225,54





Slika modela artikla	Kat. Broj	Naziv	Opis	VP Cena (bez pdv-a)
	MS100	Milesight MS-C2963-FPB mini bullet kamera	<p>Model: Milesight MS-C2963-FPB 2MP H.265 StarLight PoE IR Motorized Mini Bullet Network Camera</p> <p>Image Sensor: 1/2.8" Progressive Scan CMOS; Max. Image Resolution: 1920x1080 - 60fps(1920x1080); ONVIF Profile S Min. Illumination: Color: 0.002Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 140dB; Motorized 2.812mm@F1.4, H86°H33°/D99°D38°/V48°V19°; IR Distance 50m; Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog; IP67-rated for weather-resistant performance; Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * P-Iris 10 EUR</p>	281,92
	MS101	Milesight MS-C5363-FPB mini bullet kamera	<p>Model: Milesight MS-C5363-FPB 5MP H.265 PoE IR Mini Bullet Network Camera</p> <p>Image Sensor: 1/2.9" Progressive Scan CMOS; Max. Image Resolution: 2560x1920; ONVIF Profile S; Min. Illumination: Color: 0.006Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 120dB; Lens Motorized 2.812mm@F1.4, H67°H25°/D84°D31°/V51°V19°; IR Distance 50m; Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog IP67-rated for weather-resistant performance Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * P-Iris 10 EUR</p>	299,15
	MS114	Milesight MS-C2962-FPB Pro bullet kamera	<p>Model: Milesight MS-C2962-FPB 2MP H.265 StarLight PoE IR Motorized Pro Bullet Network Camera</p> <p>Image Sensor: 1/2" Progressive Scan CMOS; Max. Image Resolution: 1920x1080 - 60fps(1920x1080); ONVIF Profile S Min. Illumination: Color: 0.002Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 140dB; Motorized 3.610mm@F1.4, IR Distance 60m; Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), Audio I/O; Alarm I/O 1/1; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog IP67-rated for weather-resistant performance Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * P-Iris 10 EUR * Lens 7-22mm Optional 15 EUR (100m IR Distance (7-22mm Lens))</p>	Pozovite za cenu



Slika modela artikla	Kat. Broj	Naziv	Opis	VP Cena (bez pdv-a)
	MS115	Milesight MS-C5362-FPB Pro bullet kamera	<p>Model: Milesight MS-C5362-FPB 5MP H.265 PoE IR Motorized Pro Bullet Network Camera</p> <p>Image Sensor: 1/2.9" Progressive Scan CMOS; Max. Image Resolution: 2560x1920; ONVIF Profile S Min. Illumination: Color: 0.006Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 120dB; Motorized 3.610mm@F1.4, IR Distance 60m; Field of View: H72°H24°/D90°D31°/V55°V18°(310.5mm), Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), Audio I/O; Alarm I/O 1/1; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS (Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog IP67-rated for weather-resistant performance Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * P-Iris 10 EUR * Lens 7-22mm Optional 15 EUR (100m IR Distance (7-22mm Lens))</p>	Pozovite za cenu
	MS116	Milesight MS-C2972-FPB Pro dome kamera	<p>Model: Milesight MS-C2972-FPB 2MP H.265 StarLight PoE Motorized Pro Dome Network Camera</p> <p>Image Sensor:1/2" Progressive Scan CMOS; Max. Image Resolution: 1920x1080 - 60fps(1920x1080); ONVIF Profile S Min. Illumination: Color: 0.002Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 140dB; Motorized 3.610mm@F1.4, H96°H42°/D111°D48°/V55°V23°; IR Distance 50m; Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), Audio I/O; Alarm I/O 1/1; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog Vandal-proof IK10-rated metal housing, IP67-rated for weather-resistant performance Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * P-Iris 10 EUR * Lens 7-22mm Optional 15 EUR (80m IR Distance za 7-22mm Lens) * Smoked Dome Cover 10 EUR</p>	Pozovite za cenu
	MS117	Milesight MS-C5372-FPM Pro dome kamera	<p>Model: Milesight MS-C5372-FPB 5MP H.265 PoE IR Motorized Pro Dome Network Camera</p> <p>Image Sensor: 1/2.9" Progressive Scan CMOS; Max. Image Resolution: 2560x1920; ONVIF Profile S Min. Illumination: Color: 0.006Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 120dB; Motorized 3.610mm@F1.4, IR Distance 50m; Field of View:H72°H24°/D90°D31°/V55°V18°(310.5mm), Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), Audio I/O; Alarm I/O 1/1; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS (Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog Vandal-proof IK10-rated metal housing, IP67-rated for weather-resistant performance Garancija 3/5 godinaOpcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * P-Iris 10 EUR * Lens 7-22mm Optional 15 EUR (80m IR Distance za 7-22mm Lens) * Smoked Dome Cover 10 EUR</p>	Pozovite za cenu

Slika modela artikla	Kat. Broj	Naziv	Opis	VP Cena (bez pdv-a)
	MS106	Milesight MS-C9674-PB fisheye kamera	<p>Model: Milesight MS-C9674-PB 12MP H.265 Fisheye Network Camera</p> <p>Image Sensor: 1/1.7" Progressive Scan CMOS; Max. Image Resolution: 4000x3000; ONVIF Profile S Min. Illumination: Color: 0.01Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 120dB; Lens 1.98mm@F2.8, IR Distance 15m; Field of View: Ceiling Mount:360°; Wall Mount:180°; Table Mount:360° Display Mode: Fisheye View, 360 Panorama View, 180 Panorama View, 4PTZ, Fisheye + 3PTZ, Panorama View+3PTZ, Fisheye + Panorama View+ 3PTZ Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone and 1 Audio Output interface; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS (Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog Vandal-proof IK09-rated metal housing, IP67-rated for weather-resistant performance Garancija 3/5 godina</p>	Pozovite za cenu
	MS118	Milesight MS-C2961-REPB Mini PTZ bullet kamera	<p>Model: Milesight MS-C2961-REPB 2MP H.265 StarLight 12x H.265 Mini PoE PTZ Bullet Network Camera</p> <p>Image Sensor: 1/2.8" Progressive Scan CMOS; Max. Image Resolution: 1920x1080 - 60fps(1920x1080); ONVIF Profile S Min. Illumination: Color: 0.002Lux @F1.2, B/W: 0Lux with IR on; IR Distance 100m; Super WDR up to 140dB; Auto Focus: Auto/Semi-automatic/Manual; Focal Length 5.364mm, 12x Optical Zoom - H61°H5°/D69°D5°/V36°V2°(Wide-Tele); Pan Range 360° endless, Tilt Range -45°30'; 8 Patrols, up to 48 presets each patrol Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), Audio I/O; Alarm I/O 1/1; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog IP66-rated for weather-resistant performance Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * Power adapter 10 EUR</p>	Pozovite za cenu
	MS119	Milesight MS-C5361-EPB Mini PTZ bullet kamera	<p>Model: Milesight MS-C5361-EPB 5MP H.265 IR Motorized Mini PTZ Bullet Network Camera</p> <p>Image Sensor: 1/2.9" Progressive Scan CMOS; Max. Image Resolution: 2560x1920; ONVIF Profile S Super WDR up to 120dB; Auto Focus: Auto/Semi-automatic/Manual; Focal Length 5.364mm, 12x Optical Zoom - H61°H5°/D69°D5°/V36°V2°(Wide-Tele); Pan Range 360° endless, Tilt Range -45°30'; 8 Patrols, up to 48 presets each patrol Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), Audio I/O; Alarm I/O 1/1; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS (Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog IP66-rated for weather-resistant performance Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * Power adapter 10 EUR</p>	Pozovite za cenu

Slika modela artikla	Kat. Broj	Naziv	Opis	VP Cena (bez pdv-a)
	MS120	Milesight MS-C2942-B Speed dome kamera	<p>Model: Milesight MS-C2942-B 2MP StarLight 30x H.265 Speed Dome Network Camera</p> <p>Image Sensor: 1/2.8" Progressive Scan CMOS; Max. Image Resolution: 1920x1080 - 60fps (1920x1080); ONVIF Profile S Min. Illumination: Color: 0.002Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 140dB; Lens 4.7141mm, 30x Optical Zoom, H62°H3°/D70°D3°/V37°V1°(Wide-Tele); IR Distance 200m; Power Supply AC 24V/3A ±10%</p> <p>Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), Audio I/O; Alarm I/O 2/2; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog; Pan Range 360° Endless, Tilt Range 0°90°(Auto Flip) Vandal-proof IK10-rated metal housing, IP67-rated for weather-resistant performance Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting)</p>	Pozovite za cenu
	MS121	Milesight MS-C5342-B Speed dome kamera	<p>Model: Milesight MS-C5342-B 5MP 30x H.265 Speed Dome Network Camera</p> <p>Image Sensor: 30x H.265 Speed Dome Network Camera; Max. Image Resolution: 2560x1920; ONVIF Profile S Min. Illumination: Color: 0.006Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 140dB; Lens 4.7141mm, 30x Optical Zoom, H62°H3°/D70°D3°/V37°V1°(Wide-Tele); IR Distance 200m; Power Supply AC 24V/3A ±10%</p> <p>Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Built-in Microphone (G.711/AAC), Audio I/O; Alarm I/O 2/2; SIP/VoIP Support (Voice&Video-over-IP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature -3060; Advanced Functio: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3D-DNR, ROI, Anti-fog; Pan Range 360° Endless, Tilt Range 0°90°(Auto Flip) Vandal-proof IK10-rated metal housing, IP67-rated for weather-resistant performance Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting)</p>	Pozovite za cenu
	MS105	Milesight MS-C2962 RFI/PIB Kamera	<p>2MP H.265 StarLight PoE IR Motorized Pro Bullet Network Camera</p> <p>Image Sensor: 1/2" Progressive Scan CMOS; Max. Image Resolution: 1920x1080 - 30fps(1920x1080); ONVIF Profile S. Min. Illumination: Color: 0.002Lux @F1.2, B/W: 0Lux with IR on; Super WDR up to 140dB; Motorized 3.610mm@F1.4, IR Distance 60m; Video Compression: H.265+/H.265(HEVC)/H.264+/H.264/MJPEG; Audio Stream: Builtin Microphone (G.711/AAC), Audio I/O; Alarm I/O 1/1; SIP/VoIP; Support (Voice&VideooverIP); Support microSD/SDHC/SDXC Card Local Storage, up to 128G; NAS(Support NFS, SMB/CIFS); Working Temperature 30°-60°; Advanced Function: Motion Detection, Privacy Masking, Backlight Compensation, HLC, 3DDNR, ROI, Antifog, IP67rated for weatherresistant performance. Garancija 3/5 godina Opcija: * Video analitika 15 EUR (Region Entrance, Region Exiting, Advanced Motion Detection, Tamper Detection, Line Crossing, Loitering, Human Detection, People Counting) * Plris 10 EUR * Lens 722mm Optional 15 EUR (100m IR Distance (722mm Lens)</p>	Pozovite za cenu
	MS111	Milesight MS-A71 nosac	<p>Model: Milesight A71 Wall Mount Weight: 350g Dimension: 162*124*78mm Installation Environment: For wall or parapet installations Applicable Model: Pro Dome</p>	21,91

Slika modela artikla	Kat. Broj	Naziv	Opis	VP Cena (bez pdv-a)
 	MS112	Milesight MS-A73 nosac	Model: Milesight A73 Adapter Plate Weight: 28g Dimension: 115*122.5*10mm Installation Environment: For the installation that cable need to be routed through the side outlet Applicable Model: Vandal-proof Mini Dome	2,69
 	MS113	Milesight MS-A74 nosac	Model: Milesight A74 Junction Box Weight: 60g Dimension: 121.5*116.5*37.2mm Installation Environment: For the containing of electrical connections which need to be concealed from sight and deter tampering Applicable Model: Vandal-proof Mini Dome	12,87
 	MS125	Milesight MS-A62 dozna za kameru	Model: Milesight A62 Junction Box Weight: 510g Dimension: 134*127*40mm Installation Environment: For the containing of electrical connections which need to be concealed from sight and preventing from being tampered. Applicable Model: Pro Bullet, Mini PTZ Bullet	32,37

Slika modela artikla	Kat. Broj	Naziv	Opis	VP Cena (bez pdv-a)
MILESIGHT				
	MS102	Milesight MS-N1009-UNT 4K mini NVR	<p>Model: Milesight MS-N1009-UNT 4K H.265 Mini NVR Series / 9 Channels Network Video Recorder</p> <p>Podrška za 9 ch maksimalne rezolucije (4K/8MP) Bandwidth Requirement: 90Mbps (Incoming) / 90Mbps (Outgoing) HDMI Output 4K Video Compression: H.265+/H.265(HEVC)/H.264+/H.264 Audio Format: G.711/AAC 1*SATA HDD (3.5") Up to 10TB capacity Synchronous Recording: 9*5MP Network Protocols: Network Network Protocols: IPv4/IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, UPnP Power Supply: DC 12V 2A Garancija 3/5 godina</p>	246,47
	MS109	Milesight MS-N5016-UT 4K Pro NVR	<p>Model: Milesight MS-N5016-UT 4K H.265 Pro NVR 5000 Series / 16 Channels Network Video Recorder</p> <p>Podrška za 16 ch maksimalne rezolucije (4K/8MP) Bandwidth Requirement: 160Mbps (Incoming) / 160Mbps (Outgoing) HDMI Output 4K Video Compression: H.265+/H.265(HEVC)/H.264+/H.264 Audio Format: G.711/AAC 2*SATA HDD (3.5") Up to 10TB capacity Synchronous Recording: 16*5MP Network Protocols: Network Network Protocols: IPv4/IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, UPnP Power Supply: DC 12V 2A Audio Input/Output -/1*RCA; Alarm Input-Output 4/1 Garancija 3/5 godina</p>	398,30
	MS110	Milesight MS-N5032-UH 4K Pro NVR	<p>Model: Milesight MS-N5032-UH 4K H.265 Pro NVR 5000 Series / 32 Channels Network Video Recorder</p> <p>Podrška za 32 ch maksimalne rezolucije 12 MP Bandwidth Requirement: 320Mbps (Incoming) / 256Mbps (Outgoing) HDMI Output 4K / VGA Output Full HD Video Compression: H.265+/H.265(HEVC)/H.264+/H.264 Audio Format: G.711/AAC 2*SATA HDD (3.5") Up to 10TB capacity Synchronous Recording: 32*5MP Network Protocols: Network Network Protocols: IPv4/IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, UPnP Power Supply: DC 12V 2A Audio Input/Output -/1*RCA; Alarm Input-Output 4/1 Garancija 3/5 godina</p>	592,46
	MS122	Milesight MS-N7016-UH 4K Pro NVR	<p>Model: Milesight MS-N7016-UH 4K H.265 Pro NVR 7000 Series / 16 Channels Network Video Recorder</p> <p>Podrška za 16 ch maksimalne rezolucije 12MP Bandwidth Requirement: 160Mbps (Incoming) / 160Mbps (Outgoing) HDMI Output 4K / VGA Output Full HD Video Compression: H.265+/H.265(HEVC)/H.264+/H.264 Audio Format: G.711/AAC 4*SATA HDD (3.5") Up to 10TB capacity Array Type: RAID 0, RAID 1, RAID 5, RAID 10 Synchronous Recording: 16*5MP Network Protocols: Network Network Protocols: IPv4/IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, UPnP Network Interface: 2*RJ45 100M/1000M Serial Interface: 1*RS-485 Series Port for PTZ, 1*RS-232 Series Port for Console, 1*RS-485 Series Port for Keyboard Power Supply: DC 12V 2A Audio Input/Output 1/1*RCA; Alarm Input-Output 16/4 Garancija 3/5 godina</p>	Pozovite za cenu

Slika modela artikla	Kat. Broj	Naziv	Opis	VP Cena (bez pdv-a)
	MS123	Milesight MS-N7032-UH 4K Pro NVR	<p>Model: Milesight MS-N7032-UH 4K H.265 Pro NVR 7000 Series / 32 Channels Network Video Recorder</p> <p>Podrška za 32 ch maksimalne rezolucije 12MP Bandwidth Requirement: 320Mbps or 200Mbps(When RAID is enabled) (Incoming) / 256Mbps or 200Mbps(When RAID is enabled) (Outgoing) HDMI Output 4K / VGA Output Full HD Video Compression: H.265+/H.265(HEVC)/H.264+/H.264 Audio Format: G.711/AAC 4*SATA HDD (3.5") Up to 10TB capacity Array Type: RAID 0, RAID 1, RAID 5, RAID 10 Synchronous Recording: 32*5MP Network Protocols: Network Network Protocols: IPv4/IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, UPnP Network Interface: 2*RJ45 100M/1000M Serial Interface: 1*RS-485 Series Port for PTZ, 1*RS-232 Series Port for Console, 1*RS-485 Series Port for Keyboard Power Supply: DC 12V 2A Audio Input/Output 1/1*RCA; Alarm Input-Output 16/4 Garancija 3/5 godina</p>	Pozovite za cenu
	MS124	Milesight MS-N8032-UH 4K Pro NVR	<p>Model: Milesight MS-N8032-UH 4K H.265 Pro NVR 8000 Series / 32 Channels Network Video Recorder</p> <p>Podrška za 16 ch maksimalne rezolucije 12MP Bandwidth Requirement: 320Mbps or 200Mbps(When RAID is enabled) (Incoming) / 256Mbps or 200Mbps(When RAID is enabled) (Outgoing) 2-CH HDMI Output 4K + 2-CH VGA Output up to Full HD Video Compression: H.265+/H.265(HEVC)/H.264+/H.264 Audio Format: G.711/AAC 8*SATA HDD (3.5") Up to 10TB capacity 1*eSATA Array Type: RAID 0, RAID 1, RAID 5, RAID 10 Synchronous Recording: 32*5MP Network Protocols: Network Network Protocols: IPv4/IPv6, TCP, UDP, RTP, RTSP, RTCP, HTTP, DNS, DDNS, DHCP, NTP, SNTP, SMTP, UPnP Network Interface: 2*RJ45 100M/1000M Serial Interface: 1*RS-485 Series Port for PTZ, 1*RS-232 Series Port for Console, 1*RS-485 Series Port for Keyboard Power Supply: DC 12V 2A Audio Input/Output 1/2*RCA; Alarm Input-Output 16/4 Garancija 3/5 godina</p>	Pozovite za cenu